

روش اتصال به VPN دانشگاه از طریق برنامه OpenVPN for Android بر روی گوشی موبایل

در گوشی های تلفن همراهی که امکان اتصال از طریق PPTP و L2TP وجود ندارد و فقط دارای پروتکل IKEv2 می باشند، استفاده از این روش پیشنهاد می گردد.

برنامه OpenVPN for Android را از طريق Google Play Store دانلود نماييد.

آدرس دانلود برنامه از طريق Play Store :

https://play.google.com/store/apps/details?id=de.blinkt.openvpn

در صورتیکه از این طریق موفق به دانلود برنامه نشدید از طریق لینک

<u>https://basu.ac.ir/documents/2794124/3167311/openvpn_193_apps.evozi.com+%2</u> <u>82%29.apk/2f4d7164-aee0-df3a-7eb3-e737c31d7065?t=1720334442252</u> اقدام نمایید. یس از دانلود برنامه آن را نصب کنید.

https://basu.ac.ir/documents/279412 external_v2.ovpn/c7119154-6695-de	<u>4/3167383/basu-</u> <u>6f1-f1ae-</u> External
70423ef8bf31?t=1725082926152	(خارج دانشگاه)
https://basu.ac.ir/documents/279412	4/3167311/basu-
campus.ovpn+%284%29.txt/61fb51	13-9ff5-eb08-14b0- Internal
18bfe0b1695f?t=1720334495881	(داخل دانشگاه)
	خارج دانشگاه
داخل دادشگاه ۲1:32 که ۱۵ 🗐 🖓 🖘 ۲۰۰۱ کا ۱۵ که ۲۰۰۱ کا ۲۰۰	ন্দ 🖬 🗭 🔮 🕸 হি⊿া 23% 🖬 11:32 ⊗ No internet connection
داخل دادشگاه ۲۱:32 کار دادشگاه No internet connection کار	 Image: A state of the state of
داخل داشگاه No internet connection	 ✓ I ■ ✓ No internet connection △ III:32 △ No internet connection △ III:32 ○ No internet connection ○ III:32 ○ I
Contraction Contraction Image: Contreleee Image: Contract	 ✓ I I IIII ✓ I IIIII ✓ No internet connection ✓ I drive.basu.ac.ir/share.cţ IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII

	داخل دانشگاه	
o- 🖬 y	■ 🖻 👰 🦷 23% ⊗ No internet connection	11:32
$\hat{\mathbf{D}}$	drive.basu.ac.ir/share.c	:
		:
/		
?	basu-campus.ovpn 1.73 KB , 2022/09/20 10:08:56	:

	خارج دانشگاه		
от 🖪 🟴	🗟 🞑 🕤) 🖎 No internet connection	a 23% 🗖	11:32
🖒 🔒 dr	rive.basu.ac.ir/share.cç	33	:
			÷
/			
? basu	u-external_v2		:

	فایل تنظیمات را از لینک
https://basu.ac.ir/documents/2794124/3167383/basu-	
external v2.ovpn/c7119154-6695-d6f1-f1ae-	External
70423ef8bf31?t=1725082926152	(خارج دانشگاه)
https://basu.ac.ir/documents/2794124/3167311/basu-	
campus.ovpn+%284%29.txt/61fb5113-9ff5-eb08-14b0-	Internal
<u>18bfe0b1695f?t=1720334495881</u>	(داخل دانشگاه)
	انلود کنید.
مالت شنام المثام	الترشينان براين
	محارج دادستا 11:32 ش ه ه کارچ کارستان
No internet connection No	o internet connection
The drive.basu.ac.ir/share.c(🚳 :	asu.ac.ır/share.c(33 :
/ /	
basu-campus.ovpn ? basu-ext	ernal_v2
1.73 KG , 2022/05/20 10:00:50	





فایل تنظیمات که به صورت پیش فرض در پوشه دانلودها ذخیره شده قابل مشاهده است. روی آن کلیک کرده و در صفحه بعدی تیک بالای صفحه را انتخاب کنید.

Internal

•

•

¢

•

¢

•

Ó

External

•

•

•

•



Internal



External



بر روی عنوان basu-external_v2 یا basu-campus کلیک کرده و نام کاربری و رمز عبور خود را وارد کنید. در صورتی که می خواهید حساب کاربری بر روی گوشی شما ذخیره شود گزینه Save Password را انتخاب کنید. پس از آن OK را کلیک نمایید.

🖾 🕥 🗭	۵	ر 🗟	🖌 27% 📕 1	1:24
OpenVPN for And	droid	Ð		0 0 0
PROFILES GRAPH	SETTING		FAQ	ABC
ba on compute			-	,
Need Passwor Please enter the	ord passwor	d for	profile	
		6		
Username (leave	empty	for no	o autn)	•
Password				
Show password				
Save Password				
	CANCE	L	ОК	
	_			J
				1

	 	1:26 : ,19
 ✓ OpenVPN Log 〒 Î : Connected: SUCCESS,172.23.255.73,10.10.12.2,1194,19 11:25 WARNING: No server certificate verification method has been enabled. See http://openvpn.net/howto.html #mitm for more info. 11:25 TCP/UDP: Preserving recently used remote address: [AF_INET]10.10.12.2:1194 11:25 TCP/UDP: Preserving recently used remote info. 11:25 TCP/UDP: Preserving recently used remote address: [AF_INET]10.10.12.2:1194 11:25 TCPv4_CLIENT link local: (not bound) 11:25 TCPv4_CLIENT link local: (not bound) 11:25 TCPv4_CLIENT link local: (not bound) 11:25 TCPv4_CLIENT link remote: [AF_INET]10.10.12.2:1194 11:25 NOTE: -mute triggered 11:25 I variation(s) on previous 10 message(s) suppressed by -mute 11:25 NOTE: -mute triggered 11:25 WARNING: this configuration may cache passwords in previous 10 message(s) suppressed by -mute 11:25 Initialization Sequence Compl	← OpenVPN Log 〒 ☐ Connected: SUCCESS,172.23.255.73,10.10.12.2,1194 11:25 WARNING: No server certificate verification me has been enabled. See http://openvpn.net/howto.htr #mitm for more info.	,19
Connected: SUCCESS,172.23.255.73,10.10.12.2,1194,19 11:25 WARNING: No server certificate verification method has been enabled. See http://openvpn.net/howto.html #mitm for more info. 11:25 TCP/UDP: Preserving recently used remote address: [AF_INET]10.10.12.2:1194 11:25 Attempting to establish TCP connection with [AF_INET]10.10.12.2:1194 11:25 TCP connection established with [AF_INET]10.10.12.2:1194 11:25 TCPv4_CLIENT link local: (not bound) 11:25 TCPv4_CLIENT link remote: [AF_INET]10.10.12.2:1194 11:25 NOTE: -mute triggered 11:25 1 variation(s) on previous 10 message(s) suppressed by -mute 11:25 NOTE: -mute triggered 11:25 NOTE: -mute tr	Connected: SUCCESS,172.23.255.73,10.10.12.2,1194 11:25 WARNING: No server certificate verification me has been enabled. See http://openvpn.net/howto.htr #mitm for more info.	,19
11:25 WARNING: No server certificate verification method has been enabled. See http://openvpn.net/howto.html #mitm for more info. 11:25 TCP/UDP: Preserving recently used remote address: [AF_INET]10.10.12.2:1194 11:25 Attempting to establish TCP connection with [AF_INET]10.10.12.2:1194 11:25 TCP connection established with [AF_INET]10.10.12.2:1194 11:25 TCPv4_CLIENT link local: (not bound) 11:25 TCPv4_CLIENT link remote: [AF_INET]10.10.12.2:1194 11:25 TOPv4_CLIENT link remote: [AF_INET]10.10.12.2:1194 11:25 NOTE: -mute triggered 11:25 [basuvpn.server] Peer Connection Initiated with [AF_INET]10.10.12.2:1194 11:25 NOTE: -mute triggered 11:25 Varaition(s) on previous 10 message(s) suppress	11:25 WARNING: No server certificate verification me has been enabled. See http://openvpn.net/howto.htr #mitm for more info.	
11:25 TCP/UDP: Preserving recently used remote address: [AF_INET]10.10.12.2:119411:25 Attempting to establish TCP connection with [AF_INET]10.10.12.2:119411:25 TCP connection established with [AF_INET]10.10.12.2:119411:25 TCPv4_CLIENT link local: (not bound)11:25 TCPv4_CLIENT link remote: [AF_INET]10.10.12.2:119411:25 TCPv4_CLIENT link remote: [AF_INET]10.10.12.2:119411:25 NOTE: -mute triggered11:25 NOTE: -mute triggered11:25 I variation(s) on previous 10 message(s) suppressed by -mute11:25 NOTE: -mute triggered11:25 NOTE: -mute triggered11:2		nl
 11:25 Attempting to establish TCP connection with [AF_INET]10.10.12.2:1194 11:25 TCP connection established with [AF_INET]10.10.12.2:1194 11:25 TCPv4_CLIENT link local: (not bound) 11:25 TCPv4_CLIENT link remote: [AF_INET]10.10.12.2:1194 11:25 NOTE:mute triggered 11:25 [basuvpn.server] Peer Connection Initiated with [AF_INET]10.10.12.2:1194 11:25 [basuvpn.server] Peer Connection Initiated with [AF_INET]10.10.12.2:1194 11:25 NOTE:mute triggered 11:25 NOTE:mute triggered 11:25 2 variation(s) on previous 10 message(s) suppressed bymute 11:25 2 variation(s) on previous 10 message(s) suppressed bymute 11:25 NOTE:mute triggered <l< td=""><td>11:25 TCP/UDP: Preserving recently used remote address: [AF_INET]10.10.12.2:1194</td><td></td></l<>	11:25 TCP/UDP: Preserving recently used remote address: [AF_INET]10.10.12.2:1194	
11:25 TCP connection established with [AF_INET]10.10.12.2:1194 11:25 TCPv4_CLIENT link local: (not bound) 11:25 TCPv4_CLIENT link remote: [AF_INET]10.10.12.2:1194 11:25 NOTE:mute triggered 11:25 1 variation(s) on previous 10 message(s) suppressed bymute 11:25 [basuvpn.server] Peer Connection Initiated with [AF_INET]10.10.12.2:1194 11:25 NOTE:mute triggered 11:25 variation(s) on previous 10 message(s) suppressed bymute 11:25 NOTE:mute triggered 11:25 NOTE:mute triggered 11:25 variation(s) on previous 10 message(s) suppressed bymute 11:25 NOTE:mute triggered 11:25 NOTE:mute triggered 11:25 Variation(s) on previous 10 message(s) suppressed bymute 11:25 NOTE:mute triggered 11:25 NOTE:mute triggered 11:25 Variation(s) on previous 10 message(s) suppressed bymute 11:25 NOTE:mute triggered 11:25 VARNING: this configuration may cache passwords in memory - use the auth-norache option to prevent this 11:25 Initialization Sequence Completed	11:25 Attempting to establish TCP connection with [AF_INET]10.10.12.2:1194	
 11:25 TCPv4_CLIENT link local: (not bound) 11:25 TCPv4_CLIENT link remote: [AF_INET]10.10.12.2:1194 11:25 NOTE:mute triggered 11:25 1 variation(s) on previous 10 message(s) suppressed bymute 11:25 [basuvpn.server] Peer Connection Initiated with [AF_INET]10.10.12.2:1194 11:25 NOTE:mute triggered 11:25 variation(s) on previous 10 message(s) suppressed bymute 11:25 NOTE:mute triggered 11:25 NOTE:mute triggered 11:25 NOTE:mute triggered 11:25 VARING: on previous 10 message(s) suppressed bymute 11:25 NOTE:mute triggered 11:25 VARNING: this configuration may cache passwords in memory use the auth-proceede option to prevent this 11:25 Initialization Sequence Completed 	11:25 TCP connection established with [AF_INET]10.10.12.2:1194	
INELIFIC. 10.12.2.1194 11:25 NOTE: -mute triggered 11:25 1 variation(s) on previous 10 message(s) suppressed bymute 11:25 [basuvpn.server] Peer Connection Initiated with [AF_INET]10.10.12.2:1194 11:25 NOTE: -mute triggered 11:25 variation(s) on previous 10 message(s) suppressed bymute 11:25 NOTE: -mute triggered 11:25 NOTE: -mute triggered 11:25 Variation(s) on previous 10 message(s) suppressed bymute 11:25 VoTE: -mute triggered 11:25 NOTE: -mute triggered 11:25 NOTE: -mute triggered 11:25 VoTE: -mute triggered 11:25 NOTE: -mute triggered 11:25 NOTE: -mute triggered 11:25 NOTE: -mute triggered 11:25 NOTE: -mute triggered 11:25 VARNING: on previous 10 message(s) suppressed bymute 11:25 WARNING: this configuration may cache passwords in memory - use the auth-nocache option to prevent this 11:25 Initialization Sequence Completed	11:25 TCPv4_CLIENT link local: (not bound) 11:25 TCPv4_CLIENT link remote:	
 11:25 1 variation(s) on previous 10 message(s) suppressed bymute 11:25 [basuvpn.server] Peer Connection Initiated with [AF_INET]10.10.12.2:1194 11:25 NOTE:mute triggered 11:25 2 variation(s) on previous 10 message(s) suppressed bymute 11:25 2 variation(s) on previous 10 message(s) suppressed bymute triggered 11:25 2 variation(s) on previous 10 message(s) suppressed bymute 11:25 NOTE:mute triggered 11:25 NOTE:mute triggered 11:25 NOTE:mute triggered 11:25 1 variation(s) on previous 10 message(s) suppressed bymute 11:25 NOTE:mute triggered 11:25 Initialization Sequence Completed 	11:25 NOTE:mute triagered	
 11:25 [basuvpn.server] Peer Connection Initiated with [AF_INET]10.10.12.2:1194 11:25 NOTE:mute triggered 11:25 2 variation(s) on previous 10 message(s) suppressed bymute 11:25 NOTE:mute triggered 11:25 2 variation(s) on previous 10 message(s) suppressed bymute 11:25 NOTE:mute triggered 11:25 NOTE:mute triggered 11:25 NOTE:mute triggered 11:25 Variation(s) on previous 10 message(s) suppressed bymute 11:25 NOTE:mute triggered 11:25 NOTE:mute triggered 11:25 VARINIG: on previous 10 message(s) suppressed bymute 11:25 Variation(s) on previous 10 message(s) suppressed bymute 11:25 VARINIG: this configuration may cache passwords in memory - use the auth-nocache option to prevent this 11:25 Initialization Sequence Completed 	11:25 1 variation(s) on previous 10 message(s) suppressed bymute	
 11:25 NOTE:mute triggered 11:25 2 variation(s) on previous 10 message(s) suppressed bymute 11:25 NOTE:mute triggered 11:25 2 variation(s) on previous 10 message(s) suppressed bymute 11:25 NOTE:mute triggered 11:25 NOTE:mute triggered 11:25 1 variation(s) on previous 10 message(s) suppressed bymute 11:25 1 variation(s) on previous 10 message(s) suppressed bymute 11:25 1 variation(s) on previous 10 message(s) suppressed bymute 11:25 VARNING: this configuration may cache passwords in memory - use the auth-nocache option to prevent this 11:25 Initialization Sequence Completed 	11:25 [basuvpn.server] Peer Connection Initiated with [AF_INET]10.10.12.2:1194	1
 11:25 2 variation(s) on previous 10 message(s) suppressed bymute 11:25 NOTE:mute triggered 11:25 NOTE:mute triggered 11:25 1 variation(s) on previous 10 message(s) suppressed bymute 11:25 1 variation(s) on previous 10 message(s) suppressed bymute 11:25 VARNING: this configuration may cache passwords in memory - use the auth-nocache option to prevent this 11:25 Initialization Sequence Completed 	11:25 NOTE:mute triggered	
11:25 NOTE:mute triggered 11:25 2 variation(s) on previous 10 message(s) suppressed bymute 11:25 NOTE:mute triggered 11:25 1 variation(s) on previous 10 message(s) suppressed bymute 11:25 WARNING: this configuration may cache passwords in memory – use the auth-nocache option to prevent this 11:25 Initialization Sequence Completed	suppressed bymute	
 11:25 2 variation(s) on previous 10 message(s) suppressed bymute 11:25 NOTE:mute triggered 11:25 1 variation(s) on previous 10 message(s) suppressed bymute 11:25 WARNING: this configuration may cache passwords in memory – use the auth-nocache option to prevent this 11:25 Initialization Sequence Completed 	11:25 NOTE:mute triggered	
11:25 NOTE:mute triggered 11:25 1 variation(s) on previous 10 message(s) suppressed bymute 11:25 WARNING: this configuration may cache passwords in memory – use the auth-pocache option to prevent this 11:25 Initialization Sequence Completed	11:25 2 variation(s) on previous 10 message(s) suppressed bymute	
suppressed bymute 11:25 WARNING: this configuration may cache passwords in memory – use the auth-nocache option to prevent this 11:25 Initialization Sequence Completed	11:25 NOTE:mute triggered	
11:25 WARNING: this configuration may cache passwords in memory – use the auth-nocache option to prevent this 11:25 Initialization Sequence Completed	suppressed bymute	
In memory – use the auth-nocache option to prevent this	11:25 WARNING: this configuration may cache passw	vords
	in memory – use the auth-nocache option to prevent i	this

